









Access the inaccessible®



The Petzl adventure started with Fernand Petzl's passion for caving. Over the years, this passion for the "inaccessible" has enabled us to invent unique and innovative solutions. Whether it is for ascending, descending or belaying with a rope or specific equipment, or for moving about in the dark with a headlamp. This is the expertise we want to offer to you.

How? By being at your side to give your clients the full adventure park experience, a one-of-a-kind and fun physical activity. This starts with reliable and comfortable equipment that is also designed to facilitate the day-to-day management of your inventory of gear.

The new solutions presented in this 2017 brochure exemplify this approach and are the result of the work of the men and women of Petzl. We hope that they will earn your trust.

Paul Petzl President



VERTIGO WIRE-LOCK PARK



The VERTIGO WIRE-LOCK PARK carabiner is designed for use on TRAC PLUS and TRAC pulleys and on progression lanyards. Its excellent grip and automatic WIRE-LOCK locking system, with Keylock, facilitate handling when passing intermediate anchors. The reinforced construction of the Keylock reduces the effect of vibrations, and the hard anodization provides greater resistance to damp and salty environments.



TRAC PLUS



The TRAC PLUS pulley has maximum longevity, thanks to the latest bearing technology and to the VERTIGO WIRE-LOCK PARK carabiner. The carabiner is attached to the pulley, making the unit drop-proof, and thus simplifying maneuvers. The clip-on, lockable, optimally shaped cover makes it easy to connect the TRAC PLUS to a pulley lanyard.



JAG RESCUE KIT



Ready-to-use reversible rescue kit designed to easily pick off and lower a victim.

Contents

Equipment for participants2
Equipment for monitors8
Equipment for downward evacu
ation12


Adults



PANGA®

Durable, easy-to-use helmet for group and club use, comes in packs of four

PANGA is a durable, easy-to-use helmet, designed for group and club use. Its FLIP&FIT system immediately positions the headband in a low position, guaranteeing that the helmet fits securely on the head. The system also protects the headband during storage or transport and allows easy adjustment by the operator or user. PANGA is composed of three removable components, all of which are available as replacement parts: shell, liner and harness/headband. Helmet available in a pack of four units and in three colors.



Headband adjustment



Components available as spare parts



PANJI

Seat harness

The PANJI seat harness is easy for the operator to put on, adjust and verify on a client. The tie-in point and equipment loop are designed for optimal compatibility with JOKO lanyards and TRAC pulleys. The identification label allows grouping.







VERTIGO WIRE-LOCK PARK

Carabiner for pulleys and lanyards

The VERTIGO WIRE-LOCK PARK carabiner is designed for use on TRAC PLUS and TRAC pulleys and on progression lanyards. Its excellent grip and automatic WIRE-LOCK locking system, with Keylock, facilitate handling when passing intermediate anchors. The reinforced construction of the Keylock reduces the effect of vibrations, and the hard anodization provides greater resistance to damp and salty environments.



VERTIGO WIRE-LOCK

Carabiner for progression lanyard

The VERTIGO WIRE-LOCK carabiner is designed for use on the ends of lanyards. Its excellent grip and automatic WIRE-LOCK locking system facilitate handling when passing intermediate anchors. The wide opening and the Keylock system allow the carabiner to be easily connected to the cable. The WIRE-LOCK system also increases the lifetime of the product when used intensively.



JOKO-Y

Progression lanyard

Designed for continuous belay while passing intermediate anchors, the JOKO-Y progression lanyard is installed on the harness with a simple lark's head hitch. The plastic sheaths hold the carabiners in position and protect the stitching from abrasion.

Adults





TRAC

Drop-proof pulley for Tyrolean traverses

The VERTIGO carabiner is attached to the TRAC pulley, making the unit drop-proof, and thus simplifying maneuvers. The clip-on, lockable cover with optimal shape makes it easy to connect the TRAC to a pulley lanyard. The two supports for the progression carabiners protect them from cable wear.





TRAC PLUS

Drop-proof pulley for long Tyrolean traverses

The TRAC PLUS pulley has maximum longevity, thanks to the latest bearing technology and to the VERTIGO WIRE-LOCK PARK carabiner. The carabiner is attached to the pulley, making the unit drop-proof, and thus simplifying maneuvers. The clip-on, lockable, optimally shaped cover makes it easy to connect the TRAC PLUS to a pulley lanyard.



Unit is drop-proof thanks to the VERTIGO carabiner attached to the pulley.



Two supports for the progression carabiners allow them to be protected from cable wear.



JOKO-I Pulley lanyard

The JOKO-I pulley lanyard is designed to connect TRAC pulleys to the seat harness. It attaches to the harness with a simple lark's head hitch. The plastic sheath holds the carabiner in position and protects the stitching from abrasion.





Children





PICCHU

Children's helmet

The PICCHU helmet is designed for children. It is very light and comfortable and constructed for durability.



SIMBA

Full body adjustable harness for children less than 40 kg

SIMBA is an entirely adjustable full-body harness designed to ensure the safety of a child weighing less than $40 \ \text{kg}$.



OUISTITI

Full body harness for children less than 30 kg

OUISTITI is a full body adjustable harness designed to ensure the safety of a child weighing less than 30 kg.


Additional equipment



Am'D PIN-LOCK

Asymmetrical aluminum carabiner, unlocks with a tool

The Am'D PIN-LOCK asymmetrical aluminum carabiner is designed for use with groups. It secures the connection of the user thanks to its PIN-LOCK system, which can only be opened by the operator with a specific unlocking tool.



For repeated manipulations: unlocking pin can be installed directly on a glove.



For immediate and occasional use: the unlocking ring can be kept on a carabiner on the harness and used when the monitor is not wearing gloves.



NEWTON

Large full body harness

Harness for larger builds, with upper and lower straps that are different colors to facilitate donning. The sternal FAST automatic buckle allows the harness to be opened and closed simply and quickly. The shoulder straps and leg loops are equipped with self-locking DoubleBack buckles for quick and easy adjustment.



CARITOOL

Detachable equipment carrier for hanging the pulley on the harness

Detachable equipment carrier for hanging the pulley on the harness. Compatible with the slots on most Petzl harnesses and also attaches to webbing waistbelts of other harnesses.



TANDEM® SPEED

Double pulley mounted on sealed ball bearings

TANDEM SPEED is a double pulley with a construction that guarantees both resistance to wear and excellent efficiency.



Helmets Reference		Reference	Packaging	Certifications	Weight per unit	Color	Head circumference
		A30AOA				orange	
PANGA		A30AWA	4	CE EN 12492, UIAA	330 g	white	48 - 61 cm
	V	A30ABA				blue	
DICCUIL		A49C G	-1	CE EN 12492, UIAA, CE EN 1078,	210 ~	coral	40 F4 om
PICCHU	W.	A49C F]	CPSC safety standard	310 g	raspberry	- 48 - 54 cm

Harnesses		Reference	Packaging	Certifications	Weight per unit	Waist size	Leg loops	Torso length	Height
PANJI		C28ABA	10	CE EN 12277 type C, UIAA 105	460 g	60 - 110 cm	75 cm max	-	-
PANJI		C28AUA	1		400 g				
NEWTON	×	C73AAA 1	1	CE EN 361, EAC	1050 g	70 - 93 cm	47 - 62 cm	-	165 - 185 cm
NEWTON		C73AAA 2	1		1080 g	83 - 120 cm	50 - 65 cm		175 - 200 cm
SIMBA	80	C65	1	CE EN 12,277 type B, UIAA 105	390 g	-	51 cm max	35 - 60 cm	-
OUISTITI	8	C68	1	CE EN 12,277 type B, UIAA 105	350 g	-	51 cm max	45 - 60 cm	-

Lanyards		Reference	Packaging	Certifications	Weight per unit	Length	
	11	L36YBO 60	10	05.540	100 ~	60 am	
JOKO-Y	11	L36YUO 60	1		120 g	60 cm	
		L36YBO 85	10	CE, EAC	150 ~	0F am	
	1 1	L36YUO 85	1		150 g	85 cm	
		L36IBO 30	10		55.0	30 cm	
	1	L36IUO 30	1		55 g	30 cm	
JOKO-I		L36IBO 45	10	CE, EAC	65 a		
JUKU-I		L36IUO 45	1	CE, EAC	65 g	45 cm	
		L36IBO 70	10		90.0	70 cm	
	# \$P \$P	L36IUO 70	1		80 g		

Connectors	Reference	Packaging	Certifications	Weight per unit	Major axis strength	Minor axis strength	Open gate strength	Gate opening
VERTIGO (M040AA00	1	CE EN 12275 types K/B,	95 g	25 kN	10 kN	8 kN	24 mm
WIRE-LOCK PARK 🚺	M040BA00	10	UIAA					
VERTIGO WIRE-LOCK	M40A WLB	10	CE EN 12275 types K/B	95 g	25 kN	10 kN	8 kN	24 mm
Am'D PIN-LOCK	M34AB PL	10	CE EN 362, EAC	80 g	27 kN	8 kN	8 kN	25 mm

Pulleys		Reference	Packaging	Certifications	Weight per unit	Cable/rope diameter
TRAC	A	P023AA00	10	CE, EAC	400 g	9 - 13 mm
	V	P023BA00	1	GE, EAG	400 g	9 - 13 111111
TRAC PLUS	100	P024AA00	10	CE, EAC	405 -	9 - 13 mm
TRAC PLUS	V	P024BA00	1	GE, EAG	405 g	9 - 13 111111
TANDEM SPEED	***	P21 SPE	1	CE EN 12278, EAC	270 g	12 mm

Accessories		Reference	Packaging	Weight per unit	
CARITOOL	0	P42	1	25 g	Note: This tool holder is not PPE.









ALVEO VENT

Lightweight ventilated helmet

The ALVEO VENT is a very lightweight ventilated helmet. Its ventilation holes allow air to pass through the helmet. Its CenterFit adjustment system adjusts the headband and keeps it centered on the head.



TOP

Chest harness for seat harness

The TOP chest harness transforms the FALCON seat harness into a full-body harness. The foam shoulder straps are widely spaced to reduce neck chafing. When the waistbelt is loaded, they help distribute the load over the shoulders



FALCON

Lightweight and comfortable seat harness

Lightweight seat harness with metal ventral attachment point, to distribute weight between the waistbelt and leg loops. The FALCON features a semi-rigid waistbelt and leg loops for maximum comfort and self-locking DoubleBack buckles for quick and easy adjustment. The rear buckle allows a TOP chest harness to be attached.



Semi-rigid, slim waistbelt and leg loops ensure optimal comfort/weight ratio.



The rear buckle allows a TOP chest harness to be attached.



CORDEX

Lightweight gloves

These lightweight gloves combine durability with the precise fit and of a thinner glove. Double-layered leather protects the palm and other high-wear areas. The back is made of abrasion resistant, breathable stretch nylon, ensuring comfort and ventilation. The low profile neoprene cuff with Velcro closure features a reinforced carabiner hole for attaching the gloves to your harness.



CORDEX PLUS

Gloves

These gloves offer maximum protection. Double-layer leather and padding protect the palm from heated surfaces. Fingertips and other high-wear areas are reinforced for increased durability. The back is made of leather with abrasion-resistant stretch nylon at key flex areas. The low profile neoprene cuff with Velcro closure features a reinforced carabiner hole for attaching the gloves to your harness.



SPATHA

Knife with carabiner hole

The SPATHA knife is designed to always be with the monitor. The profile of the blade allows easy cutting of ropes and cords. It has a carabiner hole for easily attaching the knife to the harness. It is easy to manipulate with its textured wheel, even when wearing gloves, and can be locked in the open position.



GRADISTEP

Etrier to assist persons in difficulty

GRADISTEP is an etrier that assists persons in difficulty. Its reinforced steps are wear resistant. It becomes very compact when stored in its pouch.



Helmets		Reference	Packaging	Certification(s)	Weight	Color	Head circumference	
ALVEO VENT	M	A20VYA		CE EN 12492*, ANSI Z89.1-2009 type I class C,		yellow		
	Sq 1	A20VWA	1		340 g	white	53 - 63 cm	
	A	A20VRA		UIAA		red		

 $^{^{\}star}$ Meets the requirements of the EN 397 and EN 12492 standards for impact protection

Harnesses		Reference	Packaging Certification(s)		Weight	Waist size	Leg loops	Height
TOP	V	C81AAA	1	CE EN 361 (with FALCON seat harness), EAC	660 g			160 - 200 cm
FALCON	0	C038AA00		CE EN 358, CE EN 813, EAC	840 g	65 - 80 cm	44 - 59 cm	
FALCON		C038AA01	1		855 g	70 - 93 cm	47 - 62 cm	_
		C038AA02			855 g	83 - 130 cm	50 - 65 cm	

Accessories	Reference	Packaging	Certification(s)	Weight	Color	Size
	K52 XST			100 g	tan	XS
	K52 SN			105 g	black	S
	K52 ST			105 g	tan	3
	K52 MN			115 g	black	M
CORDEX	K52 MT	1	CE EN 420, CE EN 388 (3133)	riog	tan	IVI
Mar. III	K52 LN		,	440	black	L
	K52 LT			118 g	tan	L
•	K52 XLN			120 g	black	XL
	K52 XLT			120 g	tan	, AL
	K53 XST			132 g	tan	XS
	K53 SN			136 g	black	S
	K53 ST			150 g	tan	3
	K53 MN			140 g	black	M
CORDEX PLUS	K53 MT	1	CE EN 420, CE EN 388 (3133)	140 g	tan	IVI
Mar	K53 LN			146 g	black	L
	K53 LT			140 g	tan	
	K53 XLN			152 g	black	XL
	K53 XLT			152 g	tan	_
SPATHA	S92AN	1	-	43 g	-	-
GRADISTEP	C08	1	-	146 g	-	-







JAG RESCUE KIT

Reversible rescue kit

The JAG RESCUE KIT is a ready-to-use reversible rescue kit designed to easily pick off and lower a victim. It contains a JAG SYSTEM haul kit, a RING OPEN gated ring, an I'D S descender, a CONNEXION FIXE 150 cm anchor strap, a BUCKET bag and an AXIS 11 mm rope with two sewn terminations. It is available in three lengths: 30, 60 and 5 meters.



Hauling with the JAG SYSTEM haul kit whose 4:1 mechanical advantage and excellent sheave efficiency allow the user effort to be divided by four when raising a victim in order to release him.



Evacuation with the I'D S descender, whose ergonomic handle allows the user to easily control the rope's running speed during evacuation.

	Reference	Length	Packaging	Weight	Maximum working load
	K90030	30 m		4300 g	
JAG RESCUE KIT	K90060	60 m	1	6600 g	2 kN
	K90120	120 m		11300 g	



AXIS 11 mm with sewn termination

Very abrasion-resistant low stretch kernmantel rope with sewn termination

Very abrasion-resistant low stretch kernmantel rope with sewn termination. Its sewn termination with protective sheath helps keep the connector in the correct position and facilitates handling.

	Reference	Length	Packaging	Certification(s)	Weight per meter	Color	Diameter	Strength with sewn termination	Shock load (factor 0.3)	Number of falls (fall factor 1.77)
	R074BA00	10 m	1	CE EN 1891 type A, EAC, NFPA 1983 Technical Use	82 g	white			5,2 kN	
	R074BA01	20 m					11 mm	22 kN		12
AXIS 11 mm with	R074BA02	30 m								
sewn termination	R074BA03	40 m								
	R074BA04	50 m								
	R074BA05	60 m								

Access the inaccessible®



To discover the complete Petzl offer, go to:

www.petzl-parks.com

Baztan Abentura Park, Pays Basque (Espagne) © Petzl - Lafouche

The activities depicted are inherently dangerous. All users must be trained and competent in the use of the equipment for these activities.

Z014AA01 ENGLISH

PETZL.COM

Distributed in Australia by: Spelean Pty Ltd sales@spelean.com.au

Distributed in New Zealand by: Spelean (NZ) Ltd sales@spelean.com.au

